# LOW FREQUENCY REFLOWABLE CYLINDRICAL WATCH CRYSTAL

AB26TRB

Pb in high melting temperature type solders (exempt per RoHS 2002/95/EC Annex (7a)) Compliant



#### > FEATURES:

- Formed leads for low cost SMD type
- Excellent shock resistance
- Reflow Capable
- Low cost for consumer applications
- IR reflow capable


# > APPLICATIONS:

- Real time clock
- Measuring instruments
- Blue-tooth and wireless applications

# **STANDARD SPECIFICATIONS:**

Parameters	Minimum	Typical	Maximum	Units	Notes
Center Frequency		32.768		kHz	
Operating Temperature	-40		+85	°C	
Turnover Temperature	+20	+25	+30	°C	
Storage Temperature	-55		+125	°C	
Frequency Tolerance @+25°C	-20		+20	ppm	
Frequency Coefficient (β)	-0.040	-0.034	-0.028	ppm/T <sup>2</sup>	
Equivalent series resistance (R1)		35	50	kΩ	@25°C
Shunt capacitance (C0)		1.35		pF	
Load capacitance (CL)		12.5		pF	
Drive Level			1	μW	
Quality Factor		70,000			
Aging	-3		+3	ppm	@25°C±3°C First year
Insulation Resistance	500			ΜΩ	@ $100 \text{Vdc} \pm 15 \text{V}$

### OPTIONS & PART IDENTIFICATION: (Left blank if standard)





# LOW FREQUENCY REFLOWABLE CYLINDRICAL WATCH CRYSTAL

AB26TRB


NOTE:

Pb in high melting temperature type solders | RoHS (exempt per RoHS 2002/95/EC Annex (7a)) Compliant


AB26TRB

6.0 x \$\phi 1.9mm

#### **OUTLINE DIMENSIONS:**



## Recommended Land Pattern



A	В	C	D	E	F
0.099 (2.5)	0.099 (2.5)	0.21 (5.25)	0.099 (2.5)	0.04(1)	0.06 (1.5)

**Dimensions: inches (mm)** 






# LOW FREQUENCY REFLOWABLE CYLINDRICAL WATCH CRYSTAL

AB26TRB


Pb in high melting temperature type solders | RoHS (exempt per RoHS 2002/95/EC Annex (7a)) Compliant



# REFLOW PROFILE:



# **► TAPE & REEL:**



ATTENTION: Abracon Corporation's products are COTS - Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon Corporation is required. Please contact Abracon Corporation for more information.



